

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	tamper adj resistant\$4 with secret same cryptographic\$4 same trigger\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 07:34
L2	9	tamper adj resistant\$4 with secret with (combin \$4 combination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 07:35
L3	2	2 and @ad< "20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 07:35
L4	19	tamper adj resistant\$4 same secret with (combin \$4 combination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 07:36
L5	8	4 and @ad< "20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 07:36
L6	78	{"4222068" "4521852" "4521853" "4613901" "4634808" "4696034" "4887296" "5029207" "5237610" "5293424" "5436621" "5442704" "5592552" "5619247" "5754647" "5757919" "5764762" "5774546" "5799080" "5802274" "5809140" "5825878" "5852290" "5892899" "5892900" "5923759" "5982899" "5999623" "6009177" "6041412" "6044155" "6049608" "6069957" "6240188" "6266420" "6289455" "6330671" "6373948" "6393128").PN. OR	US-PGPUB; USPAT; USOCR	OR	ON	2009/11/23 07:39

		("6640305").URFN.				
L7	2207	tamper adj resistant\$4 and trigger\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 08:17
L8	27	tamper adj resistant\$4 and trigger\$4 adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 08:17
L9	4	8 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 08:17
L10	99	tamper adj resistant\$4 same (export\$4 ouput\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 08:20
L11	45	10 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 08:20
L12	0	pyzocha]	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 08:24
L13	99	pyzocha	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 08:24
L14	10	trigger\$4 adj data same generat\$4 with (key cryptograph\$4 encrypt\$4 decrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 08:27
L15	3571	trigger\$4 same generat\$4 with (key cryptograph\$4 encrypt\$4 decrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 08:29
L16	1759	trigger\$4 with generat\$4 with (key cryptograph\$4 encrypt\$4 decrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 08:29

L17	892	16 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 08:29
L18	31	trigger\$4 near2 data with generat\$4 with (key cryptograph\$4 encrypt\$4 decrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 08:30
L19	14	18 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 08:30
L20	387	trigger\$4 near2 signal with generat\$4 with (key cryptograph\$4 encrypt\$4 decrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 08:36
L21	198	20 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 08:36
L22	28	trigger\$4 near2 signal with generat\$4 with (cryptograph\$4 encrypt\$4 decrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 08:38
L23	9	22 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 08:38
L24	219	trigger\$4 \with generat\$4 with (cryptograph\$4 encrypt\$4 decrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 08:44
L25	219	trigger\$4 with generat\$4 with (cryptograph\$4 encrypt\$4 decrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 08:44
L26	60	25 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 08:44

L27	53	(output\$4 send\$4 export \$4) with trigger\$4 near2 (data signal) same (encrypt\$4 decrypt\$4 cryptograph\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 09:11
L28	19	27 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 09:12
L29	13	compar\$4 with trigger\$4 near2 (data signal) same (encrypt\$4 decrypt\$4 cryptograph\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 09:18
L30	969	compar\$4 with (generat \$4 trigger\$4) near2 (data message signal) same (encrypt\$4 decrypt\$4 cryptograph\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 09:23
L31	671	compar\$4 with (generat \$4 trigger\$4) near2 (data message signal) with (encrypt\$4 decrypt\$4 cryptograph\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 09:24
L32	286	31 and @ad<"20021031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 09:24
L33	60	(SMEETS near BERNARD) (SELANDER near GORAN) (NERBRANT near FER adj OLOF)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:23
L34	12	L33 and tamper adj resistant\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:23
L35	842	713/194.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:24
L36	5	L35 and @ad<"20021031" and @pd>"20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:24

L37	169	726/33.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:24
L38	1	L37 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:24
L39	376	726/34.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:24
L40	2	L39 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:24
L41	102	initializ\$6 same tamper near resistant\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:24
L42	1	L41 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:24
L43	8	5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:24
L44	396	initializ\$6 with (command instruction) and hash\$4 and tamper near resistant \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:25
L45	0	L44 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:25
L46	50	initializ\$6 with (command instruction) same generat \$4 and tamper near resistant\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:25

L47	0	L46 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:25
L48	26	secret with seed\$4 same tamper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:25
L49	0	L48 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:25
L50	596	request\$4 with (key random) same seed\$4	US-PGPUB; USPAT	OR	ON	2009/11/23 10:25
L51	87	L50 same hash\$4	US-PGPUB; USPAT	OR	ON	2009/11/23 10:25
L52	1	L51 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:25
L53	119	request\$4 same seed\$4 with hash\$4	US-PGPUB; USPAT	OR	ON	2009/11/23 10:25
L54	1	L53 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:25
L55	944	(request\$4 generat\$4) with key same (time date) with hash\$4	US-PGPUB; USPAT	OR	ON	2009/11/23 10:25
L56	2	L55 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:25
L57	170	L55 and tamper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:25
L58	0	L57 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:25

L59	70	(request\$4 generat\$4) with (temporary temporal session) near key same (time date) with hash\$4	US-PGPUB; USPAT	OR	ON	2009/11/23 10:25
L60	0	L59 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:25
L61	79	matyas.in. and hash\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:25
L62	0	L61 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:25
L63	45	(temporary temporal session) near key same (seed\$4 time date) with hash\$4 and tamper	US-PGPUB; USPAT	OR	ON	2009/11/23 10:26
L64	0	L63 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L65	39	(temporary temporal session) near2 private adj key same hash\$4	US-PGPUB; USPAT	OR	ON	2009/11/23 10:26
L66	1	L65 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L67	89	hash\$4 with secret with (external\$4 remote\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L68	0	L67 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L69	136	generat\$4 with key same hash\$4 with external	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26

L70	0	L69 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L71	43	manufactur\$4 with circuit same tamper adj resistant \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L72	0	L71 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L73	30	manufactur\$4 same tamper adj resistant\$4 with secret	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L74	0	L73 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L75	36	cryptograph\$6 with hash \$4 with serial adj number with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L76	0	L75 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L77	38	cryptograph\$6 with hash \$4 with serial adj number same key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L78	0	L77 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L79	110	tamper adj resistant\$4 with secret same cryptographic\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26

L80	2	L79 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L81	116	hash\$4 with serial adj number same generat\$4 with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L82	0	L81 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L83	24	tamper adj resistant\$4 same (produc\$4 creat\$4) with content same (watermark digital adj signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L84	0	L83 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L85	261	tamper adj resistant\$4 same (watermark digital adj signature) and (produc \$4 creat\$4) with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L86	0	L85 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L87	416	(watermark digital adj signature) same (producer creator) with content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L88	0	L87 and @ad< "20021031" and @pd> "20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
L89	239	trigger adj data same external	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26

L90	0	L89 and @ad<"20021031" and @pd>"20090709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/23 10:26
-----	---	---	---	----	----	---------------------

EAST Search History (Interference)

< This search history is empty >

11/ 23/ 09 10:28:44 AM**C:\ Documents and Settings\ mpyzocha1\ My Documents\ EAST\ Workspaces\ 10533120-2.wsp**